



NEW

**CIRCULAR
SAW BLADES.**

EXPERTS IN CUTTING AND MEASURING SINCE 1880

Starrett®

CIRCULAR SAW BLADES.



01

SOLID WOODS, MDF
AND PLYWOOD



02

ALUMINIUM

FEATURES:


- Carbide-tipped, long-life teeth
- ATB precision-ground sharpening
- Anti-vibration and cooling slots
- Fit portable and stationary machines
- Includes reduction bushings
- Supplied in plastic-free packaging

BENEFITS:

- Fast cuts with clean finish
- Smooth cutting without burn marks
- Less material waste per cut
- Reduced vibration and noise levels
- Better heat dissipation while cutting
- Blades stay sharp for longer

APPLICATIONS:


- Woodworking and general carpentry
- Furniture and joinery production
- On-site construction and fitting
- Wood, MDF, plywood, aluminium



WOODWORKING.

HARDWOODS, NATURAL WOODS (HIGH AND LOW DENSITY), RECLAIMED WOOD AND REFORESTED WOODS.

Ideal for clean, precise cuts in wood. Cooling slots and reduced vibration help prevent burn marks and ensure smooth operation.




CONSTRUCTION.

SUITABLE FOR REFORESTED WOOD, PLYWOOD, AND GENERAL WOOD APPLICATIONS

Designed for professional carpentry work. Delivers precise cuts, even in confined or hard-to-reach areas.






CARPENTRY.

HARDWOODS, NATURAL WOODS
(HIGH AND LOW DENSITY), RECLAIMED WOOD,
AND REFORESTED WOOD.

Ideal for carpentry and construction work.
Delivers high-performance cuts in solid
wood, MDF, and plywood.



ALUMINIUM.

ALUMINIUM PROFILES

Ground teeth with ATB sharpening deliver
clean cuts in aluminium. Designed to
reduce material waste and cutting losses.





WOOD

SOLID WOODS, MDF, AND PLYWOOD.

CATALOGUE N°	DIAMETER		TEETH	HOLE DIAMETER	ADAPTORS DIAMETER
	MM	INCH			
CCS184-24AW	184	7.1/4"	24	20mm (25/32")	16mm (5/8")
CCS184-40AW			40		
CCS184-60AW			60		
CCS235-24CW	235	9.1/4"	24	25mm (1")	16 & 20mm (5/8" / 3/4")
CCS235-40CW			40		
CCS235-60CW			60		
CCS254-24DW	254	10"	24	30mm (1.3/16")	16 & 20mm (5/8" / 3/4")
CCS254-40DW			40		
CCS254-60DW			60		
CCS305-40DW	305	12"	40	30mm (1.3/16")	16, 20 & 25,4mm (5/8", 3/4" & 1")
CCS305-60DW			60		



ALUMINIUM

ALUMINIUM PROFILES.

CATALOGUE N°	DIAMETER		TEETH	HOLE DIAMETER	ADAPTORS DIAMETER
	MM	INCH			
CCS254-100DA	254	10"	100	30mm (1.3/16")	16, 20 & 25,4mm (5/8", 3/4" & 1")
CCS305-100DA	305	12"	100	30mm (1.3/16")	16, 20 e 25,4mm (5/8", 3/4" e 1")



FAST, PRECISE CUTS. LONG-LASTING PERFORMANCE



starrett.co.uk

CUT FASTER. FINISH CLEANER. CHANGE BLADES LESS OFTEN.

Starrett Circular Saw Blades feature carbide-tipped, precision-ground teeth with alternating bevels for:

- Fast, clean cuts
- Consistent finish quality
- Longer blade life

Fit them to your saw and go. Compatible with all major machines.

USE THEM FOR:

- Woodworking and joinery
- General construction
- Industrial applications
- Cutting aluminium profiles

Thin-kerf design improves cutting performance while reducing material waste.

Starrett®

EXPERTS IN CUTTING &
MEASURING SINCE 1880



sales@starrett.co.uk